

# Force®10 Typhoon<sup>™</sup> Full Face Respirator

Large (F10-1030) / BPB003-204-000-UK



#### DESCRIPTION

Force®10 Typhoon<sup>TM</sup> is an extremely lightweight, easy to maintain full face mask with panoramic visor. With 3 available sizes (S,M,L) and the ability to fit PressToCheck<sup>TM</sup> filters, the user can feel reassured of an excellent fit.

# OPTIONS

Large (F10-1030) (BPB003-204-000-UK) Medium (F10-1020) (BPB003-004-000-UK) Small (F10-1010) (BPB003-104-000-UK)

#### SAFETY STANDARDS

EN 136



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



#### SPECIFICATIONS

Classification Class 1



Exhalation Valve
Typhoon Valve



4 Point Harness adjustment system Yes



BSI Kitemark **Yes** 

Latex free Yes



Product Weight 380g

## FEATURES



## **Prescription RX Insert Lenses**

The RX Modular Prescription Kit enables the use of corrective lenses with the Force®10 Typhoon<sup>™</sup> respirator, preventing traditional prescription spectacles interrupting the face seal and compromising protection.



#### Typhoon<sup>™</sup> Valve

Low resistance exhalation valve for easy breathing, with stable mask configuration. Made from silicone it performs well at very low temperatures.



## Available in 3 Sizes

Available in Small, Medium and Large to provide an even better fit to a wider range of face sizes and shapes improving the seal and level of protection. A size guide is available for use with Force®8 & Force®10 Typhoon<sup>™</sup> masks.



# PressToCheck<sup>™</sup> Compatible

The Force®10 Typhoon<sup>™</sup> is compatible with both JSP Classic filters and our PressToCheck<sup>™</sup> filters, which allow for Daily Face Fit Reassurance<sup>™</sup>.



RANGE

## **Filter Compatibility**

Fully compatible with PressToCheck<sup>™</sup> twin filter cartridges, providing daily face fit reassurance with the easiest way to check the seal each time the mask is donned. Fit it - Press it - Check it.

Usage **R** 

Mask Design Over-Moulded Visor & Face Seal, Twin Filter with Orinasal

RX Insert Optional

Mask Material Thermoplastic Elastomer & Polycarbonate

Metal Free Yes



## Effortless Maintenance

The Force®10 Typhoon<sup>™</sup> has been meticulously engineered to incorporate a small number of key components. Disassembly, cleaning and maintenance are effortless with replacement parts available.



## **Excellent Face Seal**

Extensive research has been carried out by NIOSH (ISO16976-2) to distinguish the worlds 5 most common facial shapes. Using this research JSP have digitally optimised the ergonomics of the Force®10 Typhoon<sup>™</sup> face seal to maximise wearer compatibility.

## Peel-off Visor

Replaceable peel-off visor protectors are available to prolong the life of the Force®10 Typhoon™.



# **Ultra Lightweight Comfort**

Comfort is a key feature of this ultra lightweight mask, the web like structure of the harness cradles the users head – ensuring wearer comfort throughout the working day.



youtu.be/QXur8s3R7DI



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



Page 2 of 3 / Issued 9 Mar 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.

## DOWNLOADS

- Image Pack (ZIP)
- doc-force-10-typhoon-full-face-mask.pdf (PDF)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



Page 3 of 3 / Issued 9 Mar 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.